Listing of the Claims:

(currently amended) A computer test system, comprising:
 an interface configured to receive a request for performance of test jobs on multiple machines, each of the test jobs including a defined platform for performance of the test jobs; and

an autolab component configured to select one of the multiple machines as a selected machine based upon a platform on the selected machine and based upon an availability of the selected machine, and to act on the request by assigning at least one of the test jobs to the selected machine.

- 2. (original) The computer test system of claim 1, wherein the autolab component comprises a management component that is configured to separate one of the test jobs into subtasks, and to order the subtasks into a reordered job.
- 3. (original) The computer test system of claim 2, wherein the management component is configured to separate a plurality of the test jobs into subtasks, and to order the subtasks of the plurality of test jobs into a reordered job.
- 4. (original) The computer test system of claim 3, wherein the management component is configured to add a subtask corresponding to a computing environment.

Mar 03 05 03:54p

In re Application of BEARDSLEY et al. Serial No. 10/043,792

- 5. (original) The computer test system of claim 1, wherein the test component is configured to create a personalized test package for the selected machine based upon the platform and applications available at the client machine.
- (original) The computer test system of claim 5, further comprising a 6. component for defining a time limit for execution of the test job, and wherein the autolab component is configured to reconfigure the test job to execute within the defined time limit.
- 7. (original) The computer test system of claim 1, further comprising a database component associated with the test component for storing the test jobs.
- (original) The computer test system of claim 7, wherein the database 8. is configured to store a particular test job in a pending status prior to the particular test job being assigned to one of the multiple machines.
- (original) The computer test system of claim 7, wherein the database 9. is configured to store a particular test job in an assigned status while the particular test job is assigned to one of the multiple machines.
- (original) The computer test system of claim 7, wherein the database 10. is configured to store a particular test job in a completed status after the particular test job has been run by one of the multiple machines.

p.8

In re Application of BEAR DSLEY et al. Serial No. 10/043,792

Michalik

- (original) The computer test system of claim 1, further comprising a 11. message queue for the selected machine and that is associated with the autolab component, the message queue for storing information about test jobs that have been assigned to the selected machine.
- (original) The computer test system of claim 1, further comprising a 12. high-level interface that permits direct access between the autolab component and at least one of the multiple machines.
- (original) The computer test system of claim 12, further comprising a 13. thin client that is configured for communicating between the high-level interface and the multiple machines, the thin client being configured to translate information from a client machine to information that may be utilized by the high-level interface.
 - 14. (canceled)
- 15. (original) The computer test system of claim 1, wherein the autolab component selects the selected machine based upon the present imaging of the selected machine.
 - 16. (currently amended) A computer test system comprising:

storage <u>for</u> a request for performance of test jobs on multiple machines, each of the test jobs including a defined platform for performance of the test jobs; and

an autolab component configured to select one of the multiple test machines as a selected machine based upon availability thereof, and to act on the request by assigning at least one of the test jobs to the selected machine.

- 17. (original) The computer test system of claim 16, wherein the autolab component comprises a management component that is configured to separate one of the test jobs into subtasks, and to order the subtasks into a reordered job.
- 18. (original) The computer test system of claim 17, wherein the management component is configured to separate a plurality of the test jobs into subtasks, and to order the subtasks of the plurality of test jobs into a reordered job.
- 19. (original) The computer test system of claim 18, wherein the management component is configured to add a subtask corresponding to a computing environment.
- 20. (original) The computer test system of claim 16, wherein the test component is configured to create a personalized test package for the selected machine based upon the platform and applications available at the client machine.

- 21. (original) The computer test system of claim 20, further comprising a defined time limit for execution of the test job, and wherein the autolab component is configured to reconfigure the test job to execute within the defined time limit.
- 22. (original) The computer test system of claim 16, wherein the storage is configured to store a particular test job in a pending status prior to the particular test job being assigned to one of the multiple machines.
- 23. (original) The computer test system of claim 16, wherein the storage is configured to store a particular test job in an assigned status while the particular test job is assigned to one of the multiple machines.
- 24. (original) The computer test system of claim 16, wherein the storage is configured to store a particular test job in a completed status after the particular test job has been run by one of the multiple machines.
- 25. (original) The computer test system of claim 16, further comprising a component for storing a message queue for the selected machine that is associated with the autolab component, the component for storing the message queue being configured to store information about test jobs that have been assigned to the selected machine.

- 26. (original) The computer test system of claim 16, further comprising a high-level interface component that permits direct access between the autolab component and at least one of the multiple machines.
- 27. (original) The computer test system of claim 26, further comprising a thin client that is configured for communicating between the high-level interface component and the multiple machines, the thin client being configured to translate information from a client machine to information that may be utilized by the high-level interface component.
 - 28. (currently amended) A computer system comprising:
 - a plurality of test machines;
 - a computer test system comprising:

storage for a request for the performance of test jobs on multiple machines, each of the test jobs including a defined platform for performance of the test jobs; and

an autolab component configured to select one of multiple test machines based upon the platform thereon <u>and based on the availability thereof</u>, and to act on the request by assigning at least one of the test jobs to the selected machine.

29. (original) The computer system of claim 28, wherein at least one of the plurality of machines is located remotely from the test system.

(currently amended) A computer system, comprising:

a test component configured to receive a request for the performance of a test job on a computer;

a manager component for causing the test job to be performed based on an availability of resources; and

an image component in which the test job is conducted.

- 31. (original) The computer system of claim 30, wherein the test component comprises a communication component configured to communicate with a test system and receiving the test job from the test system.
- 32. (original) The computer system of claim 31, wherein the communication component is configured to ping the test component for a new test job when idle.
- 33. (original) The computer system of claim 31, wherein the communication component is configured to send the results of the test job to the test component upon completion of the test job.
- 34. (original) The computer system of claim 31, wherein the computer system is located remote of the test system, and wherein the communication component is configured to communicate with the test component through a high-level interface.

Michalik

- 35. (original) The computer system of claim 31, wherein the computer system is located remote of the test system, and wherein the communication component is configured to communicate with the test component through an Internet protocol.
- 36. (original) The computer system of claim 30, wherein the test job includes a status request for an indications of a portion of the test job being completed, and wherein the manager component is configured to send a message to the test component upon the portion being completed.
- 37. (original) The computer system of claim 30, wherein the manager component is configured to send a message to the test component upon completion of the test job.
- 38. (original) The computer system of claim 37, wherein the message includes the results of the test.
- 39. (original) The computer system of claim 30, wherein the test component, manager component, and the image component are located in a single computer.

Mar 03 05 03:55p

In re Application of BEARDSLEY et al. Serial No. 10/043,792

- (original) The computer system of claim 39, wherein the test 40. component, manager component, and the image component are each located on separate partitions of the single computer.
- (original) The computer system of claim 39, wherein the test 41. component and the image component are located on separate partitions of the single computer.
- (currently amended) A computer-implemented method comprising, 42. receiving a request for performance of test jobs on multiple machines, each of the test jobs including a defined platform for performance of the test jobs; selecting one of the multiple machines as a selected machine based upon a platform on the selected machine and based on the availability thereof; and acting on the request by assigning one of the test jobs to the selected machine.
- 43. (original) The method of claim 42, further comprising separating one of the test jobs into subtasks, and ordering the subtasks into a reordered job.
- 44. (original) The method of claim 43, further comprising separating a plurality of the test jobs into subtasks, and ordering the subtasks of the plurality of test jobs into a reordered job.

- 45. (original) The method of claim 43, further comprising adding a subtask corresponding to a computing environment.
- 46. (original) The method of claim 42, further comprising creating a personalized test package for the selected machine based upon the platform and applications available at the client machine.
- 47. (original) A computer-readable medium having computer-executable instructions for performing the method of claim 42.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.